



**DRICON® CC, THE NEW  
SAFE WAY TO CLEAN &  
ETCH CONCRETE**



**FOR MASONRY,  
GROUT, MORTAR  
JOINTS, CONCRETE &  
CEMENT-BASED  
PRODUCTS**

**4L**

**GENERAL  
CONCRETE  
CLEANER**

**FOR  
FOR MASONRY, GROUT,  
MORTAR JOINTS, CONCRETE  
& CEMENT-BASED PRODUCTS**

**AVAILABLE IN  
4L & 20L**

- **READY-TO-USE**
- **EFFECTIVELY CLEANS & LIGHTLY ETCHES**
- **GENTLE ON SKIN & CLOTHING**
- **SAFE FOR INDOOR USE**



**0800 DRICON**

**WWW.DRICON.CO.NZ**





# DRICON<sup>®</sup> CC GENERAL CONCRETE CLEANER



Dricon<sup>®</sup> Concrete Cleaner (CC) is a versatile all-in-one solution designed to clean and lightly etches concrete surfaces. Suitable for a wide range of applications, it gently prepares areas for coatings, repairs or general maintenance. Its non-corrosive, low-odor formula contains no harsh acid fumes, making it safe for both indoor and outdoor use. Because it's fully water-soluble, cleanup is fast, simple and residue-free.

#### **BENEFITS:**

- Ready-to-use, you don't need to dilute
- Gently cleans while lightly etching to help preserve the integrity of the product
- Non-corrosive, gentle on skin & clothing
- Low-odor, safe to use indoors without special breathing equipment
- Use on a wide range of surfaces

#### **USES:**

- Green & mature concrete
- Bricks & pavers
- Mortar joints
- Tile grout
- Poured-in-place & pre-cast concrete
- Other cement-based products

#### **HOW TO USE:**

##### **PREPARATION:**

- Protect surrounding surfaces.
- Clean surface (if necessary).
- Remove surface contaminants or materials.
- Patch test recommended in an inconspicuous area.

##### **APPLICATION:**

- Apply CC to the surface by brush, roller or low-pressure sprayer & fully cover the surface.
- In hot conditions, lightly mist with water prior to application to prevent flash drying. Apply product once water has evaporated.

##### **APPLICATION (Cont.):**

- Allow up to 10 minutes dwell time - for a deeper etch, agitate with a stiff brush and allow longer dwell until desired etch is achieved.
- Rinse thoroughly with clean water (best results if rinsed with pressure washer).
- Clean off any residue or overspray on metals, aluminium, powder coatings, etc with a damp rag.
- Allow surface to dry, then re-apply treatment if needed.

##### **SAFETY & MORE INFO:**

- Visit [DRICON.CO.NZ](http://DRICON.CO.NZ) for Safety and Technical Data Sheets.



**0800 DRICON**  
**WWW.DRICON.CO.NZ**

